Series: Beacon Ranch Modular

Model: DB4105-V





About This Model

Style: Ranch / Bedrooms: 2 / Bathrooms: 2 / Square Feet: 1080

CLIC	TOI	//IED	COL	ITACT
600	I UI	VIEN	GUI	NTACT


Notes:			

Series: Beacon Ranch Modular

Model: DB4105-V



Floorplan




CUSTOMER CONTACT	Notes:



Series: Beacon Ranch Modular

Model: DB4105-V

Floorplan




CUSTOMER CONTACT	Notes:

Series: Beacon Ranch Modular

Model: DB4105-V




Floorplan



DB4105-V FRONT EXTERIOR ELEVATION

Shown with 7/12 attic roof

SOME FEATURES MAY BE OPTIONAL OR ADDED ON SITE



DB4105-V FRONT EXTERIOR ELEVATION
Shown with 12/12 roof and dormers

SOME FEATURES MAY BE OPTIONAL OR ADDED ON SITE

Series: Beacon Ranch Modular

Model: DB4105-V



Standards & Features

INTERIOR

Flat Ceiling Throughout Coveless Smooth Ceiling

8' Sidewall Height

Primed Smooth Drywall Throughout LED Flush Mount Ceiling Lights

Pre-Hung Door Jambs

Mortise Hinges

Metal Interior Passage Sets

Floor Mount Door Stops

Smoke Detectors With Battery

Back-Up

Wire Shelving in Guest Closets

Residential Switches and Receptacles

White 6-Panel Passage Doors

EXTERIOR

Patina Square Light at Front Door

Seeded Glass Light at Rear Door

Two GFI-Protected Exterior Receptacle

Vinyl Dutch Lap Siding

OSB Sheathing Under Siding w/

Wind Wrap

5/12 Architectural Shingle Roof

with 10" Eaves

Ice Shield

8" Gable End Overhang

Ridgevent Roof Ventilation System

38x82 6-Panel Front Door

38x82 6-Panel Rear Door

Schlage Exterior Locksets Keyed Alike

Mulled Vinyl Insulated Windows w/Grids

EXTERIOR (continued)

12" Raised Panel Shutters on Front

Door Side

CONSTRUCTION

2x10 Transverse Floor on 16" center**

2x6 Exterior Walls on 16" Centers**

¾" T&G OSB Floor Decking

40# Roof Load

90 Mile Exposure C Wind Load Design

KITCHEN

30" Deluxe Black Gas Range

Power Range Hood with Light

18 Cubic Foot Black, No-Frost Refrigerator

Stainless Steel Sink - 33x19x7

Structured Flow Hi-Rise Faucet

1 USB Receptacle

BATHS

60" 1-Piece Fiberglass Tub/Showers

1.6 Gallon Per Flush Elongated Toilets

China Stool, Tank and Lid

Lighted Vent Fan in Each Bath

Structured Flow Faucets

Square China Lav Sinks

Anti-Scald Faucets in Tub/Shower

Shower Drain w/ Removable Strainer

CABINETRY

Mission Style Cabinet Doors

Premium Cabinetry

Brushed Nickel Cabinet Hardware

Crown Moulding on Kitchen Cabinets

Lined Overhead Cabinets

CUSTOMER CONTACT	Notes:

Low-E with Argon

Series: Beacon Ranch Modular

Model: DB4105-V



Standards & Features (continued)

CABINETRY (continued) 42" Overhead Cabinets

Laminate Countertops & Dacksplash

Soft Close Concealed Cabinet Hinges

Dovetail Drawers

Soft Close Drawer Guides

Base Shelves in Base Cabinets

Base Shelf in Vanities

36" High Bath Vanities

Perimeter Heat Registers & Doots

Plumbed and Wired for Washer

Wired for Dryer

200 AMP Electrical Service

Copper Wiring Throughout

Programmable Thermostat

Exterior Water Faucet

Water Shut-off Valves - Where Available

Telephone Jack

FLOORING

Choice of Various Styles of Textured

-Standard 18 oz. Lucerne/Innovations

-Upgrade Styles Available

Rebond Carpet Pad with Tackstrip

Carpet Installation

DiamondFlor – Vinyl Floor Coverings

BEDROOMS

Switched Receptacle

Egress Window Each Bedroom

Wire Shelving in Wardrobes

BEDROOMS (continued) Switched Light in All Walk-In Closets

INSULATION

R-19 Fiberglass in Walls

R-31 Avg. Blown in Ceiling

CHIC	TΩ	IN/	IED	CC	١R	IT.	VC.	٦
CUS	ΙU	۱V	IED	ı UL	л	W II /	ΗU	ı

Notes:			