Series: Deercreek MAX Ranch

Model: DE3008-P





## **About This Model**

Style: Ranch / Bedrooms: 3 / Bathrooms: 2 / Square Feet: 1859

| CLIC | TOR  | //IED | COL | UTACT |
|------|------|-------|-----|-------|
| 000  | I UI | VIEN  | UUI | NTACT |


| Notes: |  |  |  |
|--------|--|--|--|
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |

Series: Deercreek MAX Ranch

Model: DE3008-P



# **Floorplan**



| CUSTOMER CONTACT | Notes: |
|------------------|--------|
|                  |        |
|                  |        |

Series: Deercreek MAX Ranch

Model: DE3008-P



### Standards & Features

#### **INTERIOR**

# Flat Ceiling Throughout Smooth Coveless Ceiling</strong>

8' Sidewall Height

Primed Smooth Drywall Throughout

LED Flush Mount Ceiling Lights

Pre-Hung Door Jambs

Mortise Hinges

Lever Interior Passage Sets

Floor Mount Door Stops

Smoke Detectors With Battery

Back-Up

Wire Shelving in Guest Closet

2" Mini Blinds

**Designer Window Treatments** 

White 6-Panel Passage Doors

Stem Lights over Island

Tray Ceiling w/ Beams
Contemporary Moulding Package</strong>

Black Lantern Light - Front & Door

One GFI-Protected Exterior Receptacle

Vinyl Dutch Lap Siding

**OSB Sheathing Under Siding** 

### 5/12 Roof Pitch with 10" Eaves

Architectural Shingle Roof

12" Gable End Overhang

Ridgevent Roof Ventilation System

38x82 Steel 6-Panel Front Door

34x82 Steel 6-Panel Rear Door

Schlage Exterior Locksets Keyed Alike

# **5/12 Roof Pitch with 10" Eaves (continued)** Mulled Vinyl Insulated Windows w/Grids

### Window Lineals on Front Door Side CONSTRUCTION

2x6 Transverse Floor, 16" centers\*\*

2x6 Exterior Walls on 16" Centers\*\*

¾" T& G OSB Floor Decking

30# Roof Load

Recessed Frame Design

**KITCHEN** 

30" Deluxe Black Gas Range

Power Range Hood with Light

18 Cubic Foot Black, No-Frost Refrigerator

Black Sink

Tip-out Travs at Sink

Structured Flow Hi-Rise Faucet

Crescent Edge Countertops

### **Full Ceramic Backsplash**

Refrigerator Surround

1 USB Receptacle

60" 1-Piece Fiberglass Tub/Showers

Tub Overdrapes & amp; Rod

4x6 Ceramic Walk-in Shower

1.6 Gallon Per Flush Elongated Toilets

China Stool, Tank and Lid

Square China Lav Sinks

Lighted Vent Fan in Each Bath

### **Structured Flow Brushed Nickel Faucets**

Vanity Lighting in Master

Framed Mirrors

| CUSTOMER CONTACT | Notes: |
|------------------|--------|
|                  |        |
|                  |        |

Series: Deercreek MAX Ranch

Model: DE3008-P



## **Standards & Features (continued)**

# Structured Flow Brushed Nickel Faucets (continued) Anti-Scald Faucets in Tub/Shower Air Exchanger System for Furnace

Anti-Scald Faucets in Tub/Shower

Shower Drain with Removable Strainer

#### **CABINETRY**

**Evermore Custom Cabinetry** 

(KCMA Certified)

Laminate Crescent Edge Countertops

Premium Cabinetry

Mission Style Cabinet Doors

Transitional Cabinet Hardware

Hardwood Moulding on Cabinets

Lined Overhead Cabinets

### 42" Height Overhead Cabinets

Drawer over Door Base Cabinets

**Extended Sink Cabinet** 

Concealed Cabinet Hinges

Soft Close Drawers

### **Dovetail Drawers**

Base and Center Shelves in Base Cabinets

Base Shelf in Vanities

36" High Bath Vanities

#### UTILITIES

Plumbed and Wired for Washer

Vented and Wired for Dryer

100 AMP Electrical Service

w/Extended Panel

40 Gallon Electric Water Heater

with Pan

Hi-Efficiency Gas Furnace

White 6-Panel Furnace Door w/Grill

Perimeter Heating System

**Aluminum Heat Ducts** 

In-Floor Cross-Over Heating System

Copper Wiring Throughout

Main Water Line Shut-Off Valve

Programmable Thermostat

Water Shut-Off Valves

**Exterior Water Faucet** 

#### **FLOORING**

Choice of Various Styles of Textured

-Standard 18 oz. Lucerne/Innovations

-Upgrade Styles Available

Rebond Carpet Pad with Tackstrip

Carpet Installation

### Vinyl Plank Flooring per print

DiamondFlor Vinyl Flooring per print

#### **BEDROOMS**

LED Flush Mount Lights

Egress Window Each Bedroom

Wire Shelving in Wardrobes

Switched LED Light in All Walk-In

Closets

#### INSULATION

R-22 Fiberglass in Floor

R-19 Fiberglass in Walls

R-31 Avg. Blown in Ceiling

### **Modular Features**

Note: Floorplan may be altered based on building code

Wind Wrap

| CUSTOMER CONTACT | Notes: |
|------------------|--------|
|                  |        |
|                  |        |

Series: Deercreek MAX Ranch

Model: DE3008-P



# **Standards & Features (continued)**

# Modular Features (continued) 40# Roof Load

Ice Guard

90 MPH Wind Zone C

2x10 Floor Joist 16" O.C.

2x4 Interior Walls

Additional Exterior Receptacle

(1) Exterior Faucet

Low – E Gridded Windows w/ Argon

No Floor Insulation

200 AMP Panel Box

Soft Close Cabinet Doors

No Blinds or Curtains

Phone Jack

| CUS | $T \cap I$ | MED  | COI | ИТЛ  | CT   |
|-----|------------|------|-----|------|------|
| 000 | I UI       | VIEN | UUI | 41 I | NO I |

| Notes: |  |  |  |
|--------|--|--|--|
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |
|        |  |  |  |